



A08-3461-10




Electrical Specifications

DC Resistance: Lead 1 - 3 = 84 Ohms ± 20%

Output Voltage: Apply 5 ma thru 1 turn center with 1KOhm Load Resistor from Leads 1 - 3. Measure Leads 1 - 3 = 4.1 mV

Construction Details

1. Sense Coil: 1000T #40Awg, 155 C Magnet wire on MMC 5045 ring core.
2. Shield Washers: 0.020" Thick Cold Rolled Steel
3. Frame Material: Nylon 70G33L Black
4. Lead Wire (ETFE): MIL-W-22759/19, #26 Awg



REVISIONS	MATERIAL	n/a		Magnetic Metals Corporation 1900 Hayes Avenue Camden, NJ 08105
	FINISH	n/a		
	DRAWN	R. Castillo	DATE 9/19/12	
	APPROVED		DATE	
THIS DRAWING IS THE PROPERTY OF MAGNETIC METALS. COPIES ARE ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPRATUS WITHOUT WRITTEN PERMISSION.	TOLERANCES		DRAWING NUMBER A08-3461-10	REV 0
	THOUSANDTHS ± .005			
	HUNDREDTHS ± .02 ANGLES ± .5° UNLESS OTHERWISE SPECIFIED			
SIZE		A	SHEET NO 1	OF 1